



Trade Name: **KEIM CONCRETAL LASUR**

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

**Trade name:** KEIM CONCRETAL LASUR

Mineral silicate paint for use on concrete surfaces to provide a colour wash or semi-transparent finish. Offers water repellency, carbonation protection, vapour permeability and forms a chemical crystalline bond with the substrate. Keim Concretal Lasur is made using pure inorganic mineral fillers, earth oxide colour pigments and potassium silicate binder.

### **Manufacturer/importer/distributor:**

Keim Mineral Paints Ltd  
Santok Building  
Deer Park Way,  
Donnington Wood  
Telford, Shropshire  
TF2 7NA

Tel. (01952) 231250

Fax. (01952) 231251

## 2. COMPOSITION/INFORMATION ON INGREDIENTS:

Pure mineral fillers, light-fast inorganic pigments, potassium silicate binder. Contains no substances that are detrimental to health according to EU guidelines 67/548/EWG

## 3. HAZARDS IDENTIFICATION

Non-hazardous according to EU Guidelines 88/379/EWG

## 4. FIRST AID MEASURES

### **General information:**

**Skin contact:** Wash skin thoroughly with soap and water.

**Eye contact:** Rinse opened eye for several minutes under running water or with eyewash. Remove any contact lenses. If irritation persists seek medical attention.

**Ingestion:** Rinse out mouth immediately, drink plenty of water and seek medical advice.





Trade Name: **KEIM CONCRETAL LASUR**

## 5. FIRE-FIGHTING MEASURES

Non-flammable

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** See section 8

**Environmental precautions:** Avoid contamination of sewage systems, watercourses or the environment.

**Methods for cleaning up:** Small quantities should be removed to waste dumps. Large quantities to be neutralised and removed. Clean with water, not with solvent.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin and eyes. See item 8 for information about suitable protective equipment and technical precautions. Close containers tightly after use.

**Storage:**

**Further information about storage:**

Store in tightly closed containers, free from frost. Keep away from food, drink and animal feeding stuffs. Protect against heat or direct sunlight

Avoid contamination with incompatible materials. Reaction with acids: evolution of heat and CO<sub>2</sub> formation. Exothermic reaction with metals, e.g. aluminium and zinc, H<sub>2</sub> produced.

Store according to local and/or national regulation.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

The product contains no materials that are workplace related, which require special supervision.

**Additional information about design of technical systems:**

**Control methods:** Do not open quickly.

**Personal protection:-**

**Eye protection:** Avoid direct contact with eyes, wear protective goggles.

**Body Protection:** After contact with skin wash thoroughly with water





Trade Name: **KEIM CONCRETAL LASUR**

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Paste like liquid
Colour:	To match swatch
Odour:	Slight ammonia
pH:	11.5
Boiling point:	-
Melting point:	-
Flash point:	N/A
Flammability:	N/A
Autoflammability:	-
Explosive properties:	-
Oxidising properties:	-
Vapour pressure:	2kPa (20°C)
Relative density:	1.39 g/cm <sup>3</sup> (white) 1.42 - 1.51 (colours) g/cm <sup>3</sup>
Solubility:	Readily soluble in water
Partition coefficient:	-
Other data:	-

## 10. STABILITY AND REACTIVITY

**Conditions to avoid:** Store as recommended within storage and handling guidelines (section 7)

**Materials to avoid:** Keep away from strong acid materials as oxidation may occur. Reaction with acids: evolution of heat and CO<sub>2</sub> formation. Exothermic reaction with metals, e.g. aluminium and zinc, H<sub>2</sub> produced.

**Hazardous decomposition products:** None

## 11. TOXICOLOGICAL INFORMATION

OECD Test after 4 hours the product does not cause irritation to skin and is not detrimental to one's health.

## 12. ECOLOGICAL INFORMATION

No negative effects are known.





Trade Name: **KEIM CONCRETAL LASUR**

## 13. DISPOSAL CONSIDERATIONS

### Appropriate methods of disposal:

#### **Product:**

Avoid contamination of sewage systems, watercourses or the environment. Collect waste and disposal in closed containers and dispose of to the local waste disposal plant. If risk of waste or leaks, leak-proof reception facilities are recommended. Disposal of this product should be done under consultation with appropriate regulatory agencies before discharging of waste material.

**Packaging:** Dispose in accordance with current local/national regulations.

**Recommended cleaning agent:** Water

## 14. TRANSPORT INFORMATION

**Non hazardous**

## 15. REGULATORY INFORMATION

**Provisions from the EC:** The product has been classified non hazardous.

**Particular labelling requirements for certain preparations:** None.

**National regulations:** None

## 16. OTHER INFORMATION

**Training advice:** No requirements for special training.

**Recommended uses and restrictions:** Mineral silicate paint for general exterior or interior wall and ceiling use.

**Sources of key data used to compile this data sheet:** The information contained in this Safety Data Sheet is intended to assist in use of the above product without the risk to safety or health and is based on current knowledge and experience. The data does not signify any warranty with regard to the product's properties.

