

# Safety Data Sheet

according to 1907/2006/EC, Article 31



Printing date 01.10.2010

Revision: 01.10.2010

## 1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** KEIM Lotexan
- **Application of the substance / the preparation** Hydrophobing agent/ water repellent
- **Manufacturer/Supplier:**  
KEIM MINERAL PAINTS LTD  
Santok Building  
Deer Park Way  
Donnington Wood  
Telford  
Shropshire  
TF2 7NA  
United Kingdom  
Tel: +44 1952 231250  
Fax: +44 1952 231251  
Url: <http://www.keimpaints.co.uk>
- **Further information obtainable from:**  
David Pratt  
Telefon: +44 1952 231250  
E-Mail: [sales@keimpaints.co.uk](mailto:sales@keimpaints.co.uk)
- **Information in case of emergency:**  
GBK Gefahrgut Büro GmbH  
Emergency number: +49(0)6132/84463

## 2 Hazards identification

- **Hazard description:**  
Xn Harmful  
N Dangerous for the environment
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
Has a narcotizing effect.  
R 10 Flammable.  
R 22 Harmful if swallowed.  
R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R 65 Harmful: may cause lung damage if swallowed.  
R 67 Vapours may cause drowsiness and dizziness.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

## 3 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2010

Revision: 01.10.2010

Trade name: KEIM Lotexan

(Contd. of page 1)

• **Dangerous components:**

CAS: 64742-82-1 EINECS: 265-185-4	AROMATIC HYDROCARBONS Xn, N; R 10-51/53-65-66-67	50-100%
CAS: 95-63-6 EINECS: 202-436-9	1,2,4-trimethylbenzene Xn, Xi, N; R 10-20-36/37/38-51/53	< 0.5%
CAS: 64742-95-6 EINECS: 265-199-0	Solvent naphtha (petroleum), light arom. Xn, Xi, N; R 10-37-51/53-65	< 0.5%

• **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Wash off immediately with water and soap and rinse well afterwards.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse mouth and throat well with water.  
Do not induce vomiting; call for medical help immediately.

### 5 Fire-fighting measures

- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards caused by the substance, its products of combustion or resulting gases:**  
In case of fire, the following can be released:  
carbon oxide (CO<sub>x</sub>)  
silicon dioxid (SiO<sub>2</sub>)  
Flammable gases/vapours
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Cool endangered receptacles with water spray.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
In case of fire do not breath smoke, fumes and vapours.

### 6 Accidental release measures

- **Person-related safety precautions:**  
Ensure adequate ventilation  
Keep away from ignition sources.  
Do not inhale fumes.  
Respect the protection rules (see section 7 a. 8).  
Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**  
Do not allow product to reach soil, sewage system or any water course.

(Contd. on page 3)



## Safety Data Sheet

### according to 1907/2006/EC, Article 31

Printing date 01.10.2010

Revision: 01.10.2010

**Trade name: KEIM Lotexan**

(Contd. of page 2)

- Follow local governmental rules and regulations.
- Inform respective authorities in case of seepage into water course or sewage system.
- **Measures for cleaning/collecting:**
  - Fill in labelled, lockable containers.
  - Absorb with non-combustible liquid-binding material (sand, diatomite, vermiculite).
  - Ensure adequate ventilation.
  - Do not flush with water or aqueous cleansing agents
  - Dispose of the material collected according to regulations.
  - Clear contaminated areas thoroughly.

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:**
  - Prevent formation of aerosols.
  - Avoid contact with skin and eyes.
  - Keep receptacles tightly sealed.
  - Keep away from heat and direct sunlight.
  - Ensure good ventilation/exhaustion at the workplace.
  - See item 8 for information about suitable protective equipment and technical precautions.
  - Respect the protection rules.
- **Information about fire - and explosion protection:**
  - Fumes can combine with air to form an explosive mixture.
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
  - Store only in the original receptacle.
  - Drip pan to be provided.
- **Information about storage in one common storage facility:**
  - Store away from oxidizing agents.
- **Further information about storage conditions:**
  - Store in cool, dry conditions in well sealed receptacles.
- **Storage class:** 3A

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Immediately remove all soiled and contaminated clothing
  - Keep away from tobacco products.
  - Keep away from foodstuffs, beverages and feed.
  - Wash hands before breaks and at the end of work.
  - Do not inhale gases / fumes / aerosols.
  - Avoid contact with the eyes and skin.

(Contd. on page 4)



## Safety Data Sheet

### according to 1907/2006/EC, Article 31

Printing date 01.10.2010

Revision: 01.10.2010

Trade name: KEIM Lotexan

(Contd. of page 3)

- **Respiratory protection:** Combination filter A/P
- **Protection of hands:** Protective gloves
- **Material of gloves**  
suitable material e.g.:  
Butyl rubber, BR  
Recommended thickness of the material:  $\geq 0.5$  mm  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
Value for the permeation: Level  $\geq 6$  (480 min)  
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- **Eye protection:** Tightly sealed goggles
- **Body protection:** Protective work clothing

## 9 Physical and chemical properties

### · General Information

<b>Form:</b>	Fluid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Characteristic

### · Change in condition

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	> 148°C

· **Flash point:** 43°C

· **Ignition temperature:** 200°C

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

### · Explosion limits:

<b>Lower:</b>	0.6 Vol %
<b>Upper:</b>	7.0 Vol %

· **Oxidizing properties** Not applicable

· **Vapour pressure:** Not determined

· **Density at 20°C:** 0.802 g/cm<sup>3</sup>

· **Vapour density** Not applicable

· **Evaporation rate** Not applicable

· **Solubility in / Miscibility with water:**

Insoluble.

· **Segregation coefficient (n-octanol/water):** Not applicable

(Contd. on page 5)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2010

Revision: 01.10.2010

Trade name: KEIM Lotexan

(Contd. of page 4)

· <b>Viscosity:</b> <b>Dynamic:</b>	Not determined
· <b>Solvent content:</b> <b>VOC (EC)</b>	93.25 %
<b>Solids content:</b>	5 %

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:** oxidizing agents
- **Dangerous reactions** Violent reaction with air and oxidizing agents.
- **Dangerous decomposition products:**  
In case of fire, the following can be released:  
carbon oxide (COx)  
silicon dioxid (SiO<sub>2</sub>)  
Flammable gases/vapours  
No hazardous decomposition products if stored and handled as prescribed.

### 11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

**64742-95-6 Solvent naphtha (petroleum), light arom.**

Oral	LD50	>6800 mg/kg (rat)
Dermal	LD50	>3400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** slightly irritant
- **on the eye:** Irritating effect.
- **during swallowing:**  
harmful  
May cause lung damage if swallowed.
- **Sensitization:** No sensitizing effects known.
- **Other information (about experimental toxicology):**  
Experimental analysis are not available.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Harmful

### 12 Ecological information

- **Ecotoxicological effects:**
- **Acquatic toxicity:**  
May cause long-term adverse effects in the aquatic environment.

(Contd. on page 6)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2010

Revision: 01.10.2010

Trade name: KEIM Lotexan

(Contd. of page 5)

- Toxic to aquatic organisms.
- **Additional ecological information:**
- **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 76/464 EC:**  
According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.
- **General notes:**  
Avoid transfer into the environment.  
At present there are no ecotoxicological assessments.  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

### 13 Disposal considerations

- **Product:**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations.

- **European waste catalogue**

08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances
-----------	---

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 30
- **UN-Number:** 1993
- **Packaging group:** III
- **Hazard label:** 3
- **Special marking:** Symbol (fish and tree)
- **Description of goods:** 1993 FLAMMABLE LIQUID, N.O.S. (AROMATIC HYDROCARBONS), special provision 640E
- **Limited quantities (LQ)** LQ7
- **Transport category** 3
- **Tunnel restriction code** D/E

(Contd. on page 7)

GB



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2010

Revision: 01.10.2010

Trade name: KEIM Lotexan

(Contd. of page 6)

· **Maritime transport IMDG:**



- **IMDG Class:** 3
- **UN Number:** 1993
- **Label** 3
- **Packaging group:** III
- **EMS Number:** F-E,S-E
- **Marine pollutant:** Yes  
Symbol (fish and tree)
- **Proper shipping name:** FLAMMABLE LIQUID, N.O.S. (AROMATIC HYDROCARBONS)

· **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1993
- **Label** 3
- **Packaging group:** III
- **Proper shipping name:** FLAMMABLE LIQUID, N.O.S. (AROMATIC HYDROCARBONS)

· **Environmental hazards:**

Product contains environmentally hazardous substances: AROMATIC HYDROCARBONS

### 15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xn Harmful  
N Dangerous for the environment

· **Hazard-determining components of labelling:**

AROMATIC HYDROCARBONS

· **Risk phrases:**

10 Flammable.  
22 Harmful if swallowed.  
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
65 Harmful: may cause lung damage if swallowed.  
67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

23 Do not breathe vapour.  
36 Wear suitable protective clothing.  
43 In case of fire, use powdered extinguishing agent. Never use water.

(Contd. on page 8)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2010

Revision: 01.10.2010

**Trade name: KEIM Lotexan**

(Contd. of page 7)

57 Use appropriate container to avoid environmental contamination.

61 Avoid release to the environment. Refer to special instructions/safety data sheets.

62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

10 Flammable.

20 Harmful by inhalation.

36/37/38 Irritating to eyes, respiratory system and skin.

37 Irritating to respiratory system.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

· **Department issuing MSDS:** Product safety department

· **Contact:** Mrs. Popescu

GB